

| No. | NAME | Age | Admitted | Died | Under the care of | Examination, at what time after death |
|-----|--------------|-----|----------|--------|-------------------|---------------------------------------|
| 370 | George Smith | 54 | Nov 25 | Nov 28 | Mr. Howard | 53 hours |

MORBID APPEARANCES

General appearance

Height 6 ft 1 in. Hair dark grey.
Body well nourished -
Ecchymosis on the front & upper part
of each side of the chest - over clavicles
& on inner side of left arm & outer side
of right arm.

Hair & neck of a dark purple color -
Blood extravasated under the conjunctiva
in each eye.

a few old fibrous band adhesions
on right side.

No laceration of pleura by
broken ribs.

Recent lymph on lower lobe of each
lung -

No laceration of lungs.
Posterior border of each lung of
a dark red color, crepitates, frothy fluid
spurts on pressure, floats in water.

Heart
Hypertrophy

180g. Each ventricle
contained some blood clot, that
in right party decolorised -
Muscle thickened -
All valves & orifices normal -

Abdomen
Fat
Liver
Fatty change
Spleen

Muscle loaded with fat, as also
the great omentum
5 lbs 10g Surface smooth, 20gms
rounded, on section pale & slightly greasy,
60g Shaggy -

No. in Reg.
1882

NATURE OF DISEASE

Fracture of
Bones of Sternum
& Heart -

370 Continued - George Smith.

Kidneys. 100g Capsule
granular adherent. Surface granular
Cortex diminished, red & color
Malpighian bodies somewhat
prominent.
Pyramids congested -

Skull. Brain 3 lbs 6 oz

Fluid. A large quantity of clear
fluid at base & on surface
under the arachnoid -

No laceration -

No fracture of skull -

No injury to orbital plates -

Bones. Right side - The first ten
fracture of ribs fractured -

10 ribs on Left side - Ribs from second
right side to tenth inclusive fractured
9 ribs on Second rib on left side comminuted
Left side -

Fracture. Left-Clavicle fractured about
lower third -

Fracture. Sternum - The cartilage uniting
the first & second pieces
of the sternum ruptured -

Extravasated. The soft parts in the neighbourhood
of these fractures, more or less
extravasated with blood -
No injury to spine -

Dr. W. Ross

Welted closed face.
In the middle
of chest.
No ecchymosis
from mouth
Gloss over it
were adherent
& comminuted.

original tone.
Inoperable
by this time
black with
fright.
Lt arm still
very purple
from his own

tous.
Brown, mostly
ex increased &
Lt scapula

| No. | NAME | Age | Admitted | Died | Under the care of | Examination, at what time after death | No. in Regr | NATURE OF DISEASE. |
|-----|------|-----|----------|------|-------------------|---------------------------------------|-------------|--|
| 370 | G. | | | | | | 1882 | Fracture of few ribs on Right side & few ribs on left side - Fracture of |

PenAppeal

Ectymosis

Rheumatic
adhesions

Pleunts

Lung.
Congestion

Heart-Hypertrophy

abdomen
fat-
over
fatty chan
spleen

No. in Reg^r
188 2

NATURE OF DISEASE.

2117

Fracture of 5th ribs on Right side & 4th ribs on left side - Fracture of
left clavicle, Fracture of 2nd & 3rd ribs of Sternum
Granular Kidneys & Hypertrophied Heart -

CASE

Patient was a very fat, bulky cabman with a bloated florid face. His cab came in collision with another and in the muddle the wheels of one of them passed over his chest. When admitted he was quite unconscious.

Breathing strenuous. Pupils inactive, not exchylosed.
Blood was escaping from both ears, from mouth
& nose. Left clavicle fractured, & blood effused over it.
The first & 2nd rib of the sternum were separated.
Most of the left ribs were fractured & comminuted;
also many of those of the right side.

The right arm was paralyzed.

He was admitted at 9 p.m. 9/5/65. Palor & weak & unconscious. During the night two & urine were passed involuntarily. At 7 A.M. he became quite conscious. By this time both ocular conjunctivae were turgid & black with blood & whole posterior limit was out of sight.

All external bleeding had ceased. Right arm still paralyzed. At 12 a.m. Pulse 116. Face very purple. At 1:30 p.m. 10 oz. of blood were taken from his arm & a good deal of relief ensued.

Towards night he became delirious & respiration 55.
at 10.15 p.m. 8 more oz of blood were withdrawn, nearly
During the 3^d day (2) Delirium & stupor increased &
Some emphysema was found near the right scapula
He died at 8.15 of the 28.

R Margerison